Tier II Reporting Update



David Powell

EPCRA Planner

North Carolina Emergency Management

Thomas Steelman

RMP Planner

North Carolina Emergency Management

Matt Kemnitz

Technological Hazards Branch Manager North Carolina Emergency Management







2014 Reporting Season

- Opened January 1, 2015
- Closes March 1, 2015
- 26 days remaining as of 2/4/15

Hazardous materials facility fees are now in effect







Hazardous Materials Facility Fee Structure

- \$50 per Hazardous Substance
 - As defined in 29 C.F.R. 1910.1200(c)
- \$90 per Extremely Hazardous Substance
 - As defined in 40 C.F.R. Part 355, Appendix A or B
- Total fees capped at \$5,000 per entity







Exempt from Fees

EXEMPTION FROM FEES DOES NOT AFFECT REQUIREMENT TO FILE!

- Family farm enterprises (USDA definition)
- State and local government facilities
 - Federal facilities included under immunity
- Nonprofit corporations
- Commercial fuel stations (fuel for retail sale only, NCDOR definition)
- Motor vehicle dealerships







E-Plan Reporting System

- System of record for 2014
- Three optional one-year extensions
- Recommended by EPCRA Committee
- Used by NC facilities and first responders for over seven years

www.erplan.net









How are fees collected?

- Fees are assessed at the time of filing
- Users are presented with a statement and passed to a third-party payment processor
- Users are not able to finalize their report until payment is completed (unless exempt)
- System accepts Visa, MasterCard, and Electronic check








Paying fees in E-Plan

- Final step in filing process
- System automatically calculates fees
- After clicking "Submit" the user is passed to the payment processing page
- HTTPS secured portal maintained by a third-party payment processing firm











Paying fees in E-Plan

- Once payment is completed the user is passed back to E-Plan
- User will receive an emailed receipt from the payment processor and a PDF receipt confirming acceptance of their 2014 Tier II report









How will fee receipts be used?

- S.L. 2014-100 allows fees to be used three ways:
 - Pay costs associated with maintaining the Hazardous Materials database (E-Plan)
 - Support the Regional Response Team program (replacing state appropriation)
 - Provide county grants for hazardous materials response planning and training







Frequently Asked Questions

- Collection of questions received from industry and local EM agencies
- Addresses who needs to file, how to file, exemptions, contact info for NCEM
- http://tinyurl.com/TierIIFAQ
- http://www.nccrimecontrol.org/Index2.cfm?a
 =000003,000010,000064,003141







Video Tutorials

- How to register, input facility and chemical info, and complete your payment
- http://tinyurl.com/TierIIVideos
- http://www.nccrimecontrol.org/Index2.cfm?a=000003,000010,0
 00064,003143











POC for Tier II Questions

David Powell
EPCRA Planner
1636 Gold Star Drive
Raleigh, NC 27607
david.r.powell@ncdps.gov
(o) 919.825.2277

Matt Kemnitz
Tech Hazards Branch Manager
1636 Gold Star Drive
Raleigh, NC 27607
matthew.kemnitz@ncdps.gov
(o) 919.825.2287
(c) 919.609.2064







2015 E-Plan Updates for Responders

Mathew Marshall, E-Plan State Tier 2 Coordinator
University of Texas-Dallas
mmarshall@utdallas.edu


North Carolina Usage


- Currently the state of NC has #### users
- How do we increase this number?
 - Free Access
 - Internet access needed
 - Up-loadable to CAMEO
 - Training


FREE Mobile Application


- Available on Google Play NOW!!!
- IOS coming soon

- Need access via webpage first
 - Uses same user name/password
 - Can store on phone (please lock phone)













Facility Information		
Contact Information	Chemical Inventory	
Additional Information	StateFields	



Options

Facility Information

Facility Name	Blue Rhino Hamptonville
Company Name	Ferrellgas dba Blue Rhino Hamptonville
Filing Year	2014
Department	;
Physical Address	1309 Buck Shoals Rd
	Hamptonville, Yadkin County
	NC - 27020
Latitude	36.07;
Longitude	-80.490;
USNG	17S NV 45925 91833
Location Description	Information not available
Maximum No. of Occupants	67 (Manned)
Corporate Email	dparker@bluerhino.com
Type of Facility	EPCRA 312 (Tier2)
Data Management	Last modified Date: 2015-01-20 15:01:38.0 UTC
	First Submit Date: 2015-01-16 14:40:20.0 UTC
	Data Submitted by: David R. Parker
	Data Entered by: David Parker
	(dparker@bluerhino.com), Access ID: 1044326
	NAICS - 454310 - Bottled Gas dealers
	Dun & Bradstreet - N/A - N/A
Facility Notes	Information not available





Facility Information	
Contact Information	Chemical Inventory
Additional Information	StateFields

Facility Contact Information

Name	Mike Fleming
Contact Type	Emergency Contact
Phone 24-hour - <u>1-336-918-4418</u> Home - <u>1-336-784-5150</u>	Work - <u>1-336-659-6720</u>
Email	mfleming@bluerhino.com
Name	Chris Moxley
Contact Type	Emergency Contact
Phone Emergency - <u>1-336-399-19</u> 24- hour - <u>1-336-469-2989</u>	Work - <u>1-336-468-8010 ext 223</u> 044
Email	cmoxley@bluerhino.com
Name	David Parker
Contact Type	Owner / Operator
Phone Home - <u>828-256-7409</u> 24-hour - <u>828-464-0909</u>	Work - <u>336-468-8010 ext 231</u>
Email	dparker@bluerhino.com

Facility Information	
Contact Information	Chemical Inventory
Additional Information	StateFields

Chemical Inventory Information

Storage Locations	Propane
Туре	74-98-6
Pressure	1,273,678
Temperature	748,096
Max Amount in largest container (lbs)	99,360
NFPA Code	1 4 0 -
Properties Mixture Liquid Gas Fire Chronic	Pressure
Fact Sheets Profile	MSDS

Storage Locations Synonyms: Bottled gas;Dimethyl methane;Dimethylmethane;Hc 290;Liquefied petroleum gas;Lpg;N-propane;Propane;Propane (dot french);Propane en m+lange (dot french);Propane mixture;Propano (dot spanish);Propano, en mezcla (dot

CHRIS

Show	
Storage Locations -Front	1 Bulk plant A (4 tanks) -West side of facility
Туре	Above ground tank
Pressure	Ambient pressure
Temperature	Ambient temperature
Storage Locations Cylinder -L	2 Storage yard East , West and South areasType
Туре	Cylinder DOT L
Pressure	Ambient pressure
Temperature	Ambient temperature

